

एनआईक्यू संख्या / NIQ No. IISERBpr/NIQ/PHY/2026-27/04

तारीख/ Date: May 18, 2026

कोटेशन आमंत्रित करने वाला नोटिस / NOTICE INVITING QUOTATIONS

Indian Institute of Science Education and Research (IISER), Berhampur, is an Institute of National Importance established under Ministry of Education, Government of India. Quotations are invited from prospective bidders for supply of items as per description at **sub para 5** below.

“Sr. No. 16” में बताए गए पूरे डॉक्यूमेंट्स अपने कोटेशन जमा करने की आखिरी तारीख/समय पर या उससे पहले नीचे दिए गए तरीकों से जमा करें:

All prospective suppliers are requested to submit complete documents as mentioned in **“Sr. No. 16”** their quotations on or before the end date/time of submission in the following ways:

- a) purchase@iiserbpr.ac.in पर ईमेल करें। **“NIQ नंबर IISERBpr /NIQ/PHY/2026-27/04, तारीख 18 मई, 2026 के हिसाब से सप्लाय के लिए कोटेशन”** सब्जेक्ट मेंशन करें। कोटेशन की स्कैन की हुई सॉफ्ट कॉपी (pdf) पासवर्ड से प्रोटेक्टेड होनी चाहिए। पासवर्ड NIQ खोलने के तय समय पर सप्लायर से लिया जाएगा। कोटेशन की अनप्रोटेक्टेड सॉफ्ट कॉपी रिजेक्ट की जा सकती है।

/ By email to purchase@iiserbpr.ac.in. Mentioning subject for **“Quotation for supply against NIQ No. IISERBpr/NIQ/PHY/2026-27/04, dated May 18, 2026”** The scanned soft copy (pdf) of the quotation should be password protected. The password will be obtained from the suppliers at the specified time of opening of NIQ. The unprotected soft copy of quotation may be rejected.

या/OR


- b) सीलबंद लिफाफे के ऊपर उद्धरण निम्नानुसार लिखा होना चाहिए: **“एनआईक्यू संख्या IISERBpr /NIQ/PHY/2026-27/04, दिनांक 18 मई, 2026 के विरुद्ध आपूर्ति के लिए उद्धरण।”**

The sealed envelope should be duly super-scribed of the quotation should be as follows:
“Quotation for supply against NIQ No. IISERBpr/NIQ/PHY/2026-27/04, dated May 18, 2026.”

1.	जेम गारट्स नं. / GEM GARPTS No.	GEM/GARTPS/17042026/209FSDI0RH4G
2.	इंडेंट नं./ Indent No.	IISERBpr/2026-27/PHY/B0091/09 dated 13/05/2026
3.	एनआईक्यू नं. / NIQ No.	IISERBpr/NIQ/PHY/2026-27/04
4.	एनआईक्यू दिनांक./ NIQ Date:	May 18, 2026
5.	खरीदी जाने वाली वस्तु का संक्षिप्त विवरण / Brief Description of the item to be procured	I. Mounted LED (880 nm, 300 mW) II. Mounted LED (590 nm, 230 mW) III. 4-Channel LED Driver IV. LED Connector HUB
6.	मात्रा /Quantity	01 Nos. of Each item
7.	वितरण अवधि (दिन/सप्ताह) और डिलीवरी का स्थान: / Delivery Period (Days/weeks) & Delivery Location:	The item should be delivered within 12 weeks from issue of Purchase Order at the Department of Physical Sciences, IISER Berhampur (Permanent Campus), Laudigam, Konisi, Ganjam, Odisha-760003. Installation should be done free of cost. Penalty @ 0.5% per week or part there of subject to a maximum of 5% of the delivery price will be deducted from your bills if supply is not completed within stipulated period or valid extension obtained. The vendor should provide any spare parts, consumables or accessories required for the installation of the instrument, free of cost.
8.	अनुमानित मूल्य / Estimated value	₹5,40,000 /-
9.	NIQ सबमिशन की आखिरी तारीख और सबमिशन का समय / NIQ Submission End Date & Time of submission	June 02, 2026 at 11:00 hr
10.	NIQ खुलने की तारीख, समय और स्थान / NIQ Opening Date, Time & Venue	June 02, 2026 at 12:00 hr (Store & Purchase Office)
11.	बोली सुरक्षा / Bid Security	NA

12.	भुगतान की शर्तें। / Payment Terms.	100% payment shall be made against satisfactory, successful delivery & installation and commissioning of the equipment subject to submission of original invoice, satisfactory report and payment recommendation from the indenter.
13.	NIQ जमा करने का पता / Address for submission of NIQ:	डिप्टी रजिस्ट्रार (भंडार एवं क्रय) आईआईएसईआर बरहमपुर, At/Po: - Laudigam, Konisi, जिला गंजम, ओडिशा-760003 ईमेल से: purchase@iiserbpr.ac.in (पूरी तरह से ऊपर दिए गए निर्देश के अनुसार) / Deputy Registrar (Stores and Purchase) IISER Berhampur, At/Po: -Laudigam, Konisi, Dist. Ganjam, Odisha-760003 Through email: purchase@iiserbpr.ac.in (strictly as per the above directive)
14.	अनुबंध का पुरस्कार / Award of Contract:	जो बिडर टेक्निकल कम्प्लायंस को पूरा करता है, एलिजिबिलिटी क्राइटेरिया को पूरा करता है और सबसे कम अमाउंट कोट करता है, उसे कॉन्ट्रैक्ट दिया जाएगा। / The bidder who complies with the technical compliance, fulfils the eligibility criteria and quotes the lowest amount shall be awarded the contract
15.	गारंटी / Warranty	3-month warranty on LEDs and a 1-year warranty on the driver.
16.	अनिवार्य दस्तावेज़ / Mandatory Documents	बोलीदाता को मूल्यांकन के लिए निम्नलिखित दस्तावेज प्रस्तुत करने होंगे, अन्यथा बोली पर विचार नहीं किया जाएगा: क. तकनीकी विनिर्देश (परिशिष्ट- '1' देखें) ख. तकनीकी अनुपालन (परिशिष्ट- '2' देखें) ग. नियम एवं शर्तों के अनुपालन हेतु प्रारूप/प्रश्नावली (परिशिष्ट- '3' देखें) घ. निर्माता का प्राधिकरण प्रपत्र (परिशिष्ट- '4' देखें) ङ. बोलीदाता सूचना प्रपत्र (परिशिष्ट- '5' देखें) च. ब्लैकलिस्ट/प्रतिबंधित न होने की घोषणा (परिशिष्ट- '6' देखें) छ. कोटेशन प्रारूप (परिशिष्ट- '7' देखें) / The bidder should submit the following documents for evaluation failing which the bid cannot be considered: a. Technical Specifications (Refer Annexure- '1') b. Technical compliance (Ref. Annexure- '2') c. Format/Questionnaire for compliance of Terms and Conditions (Ref. Annexure- '3') d. Manufacturer's Authorization Form (ref. Annexure- '4') e. Bidder Information Form (Ref. Annexure- '5') f. Declaration for non-blacklisting/debarment (Ref Annexure- '6') g. Quotation Format (Ref. Annexure- '7')
17.	मेक इन इंडिया नीति 2017/डीपीआईआईटी दिशानिर्देशों का अनुपालन / Compliance of Make in India Policy 2017/DPIIT Guidelines	क) 50 लाख रुपये से अधिक मूल्य की वस्तुओं/सेवाओं की खरीद पर लागू। ख) बोलीदाता को सामान्य वित्तीय नियम 2017 के नियम 144(x) के तहत किसी देश या देशों के वर्ग से खरीद पर प्रतिबंध के संबंध में भूमि सीमा घोषणा प्रस्तुत करनी होगी। ग) वस्तुओं, सेवाओं या कार्यों के लिए स्थानीय सामग्री (एलसी) के संबंध में स्व-प्रमाणन (अनुलग्नक- '6' देखें) / a) Applicable for procurement of goods/services value above Rs 50 Lakhs. b) Bidder has to provide land border declaration regarding restrictions on procurement from Bidders from a country or countries, or a class of countries under Rule 144(x) of the General Financial Rules 2017. c) Self-certification regarding Local Content (LC) for Goods, Services or Works (Ref. Annexure- '6')
18.	पूर्व-योग्यता मानदंड / Pre-Qualification criteria	बिडर्स ने पिछले तीन सालों में दूसरे IISERs/IITs/सेंट्रल यूनिवर्सिटीज़/रिसर्च/जाने-माने इंस्टिट्यूट वगैरह को वैसा ही आइटम (एक जैसा या मिलता-जुलता) सप्लाई किया होगा। सप्लाई के सबूत के तौर पर परचेज़ ऑर्डर की कॉपी जमा करनी होगी। / Bidders must have supplied identical item (same or similar) to other IISERs/IITs/Central Universities/Research/Reputed institutes etc., of national repute in the last three years. Copies of Purchase Orders have to be submitted as evidence of supply.
19.	घोषणा /Declaration	वेंडर को अपने लेटर हेड में यह बताना होगा कि उन्होंने वही आइटम किसी दूसरी सरकारी कंपनी को बताई गई कीमत से कम कीमत पर नहीं बेचा है। /

		The vendor has to submit a declaration in their letter head stating that they have not offered the same item to any other govt. organization at a lower price than the quoted price.
20.	टेक्निकल क्लैरिफिकेशन के लिए कृपया संपर्क करें:/ For technical Clarifications please contact:	भौतिकी कार्यालय ईमेल- office_phy@iiserbpr.ac.in / Office of Physics Email- office_phy@iiserbpr.ac.in
21.	NIQ इनवाइटिंग अथॉरिटी:/ NIQ Inviting Authority:	डिप्टी रजिस्ट्रार (स्टोर और परचेज) निदेशक, आईआईएसईआर बरहमपुर की ओर से दूरभाष संख्या 0680 2227-705/ 709 Deputy Registrar (Stores and Purchase) for and on behalf of Director, IISER Berhampur Tel. No.0680 2227-705/ 709


 18/03/2026
 डिप्टी रजिस्ट्रार (भंडार एवं क्रय)
 Deputy Registrar (Stores & Purchase)

अनुलग्नक - '1'/Annexure- '1'

तकनीकी विशेष विवरण / TECHNICAL SPECIFICATIONS

((एनआईएसू नं. IISERBpr /NIQ/PHY/2026-27/04, दिनांक 18 मई, 2026) /
(NIQ NO. IISERBpr/NIQ/PHY/2026-27/04, dated May 18, 2026)

Mounted LED (880 nm, 300 mW)

Optical Specifications	Value (typical)
Nominal Wavelength	880 nm
Peak Wavelength	890 nm
Bandwidth (FWHM)	50 nm
LED Output Power	350 mW
Viewing Angle	132°
Maximum Irradiance	5.6 $\mu\text{W}/\text{mm}^2$

General Specifications	
Characteristic	Value
Emitter Size	1 mm x 1 mm
Lifetime	>10 000 h
Operating Temperature	0 to 40 °C
Storage Temperature	-40 to 70 °C
Risk Group	RG0 - Exempt Group
Housing Diameter	Ø30.5 mm
Mechanical Compatibility	SM1 (1.035"-40) Internal Threads
Cable Length	2 m

4-Channel LED Driver, 1 Modulation Input

Constant Current Mode	
LED Current Range	0 - 1000 mA
LED Current Resolution	1 mA
LED Current Accuracy	±10 mA
LED Forward Voltage	5 V
Brightness Mode	
LED Current Range	0 - 100%
LED Current Resolution	0.1 % (min. 1 mA)
LED Current Accuracy	±10 mA
LED Forward Voltage	5 V
External Control Mode	
Modulation Frequency Range	0 - 100 kHz, Sine Wave
Modulation	Arbitrary
Trigger Input (Maximum)	10 V 1 V corresponds to 100 mA
General	
Operating Temperature Range	0 to 40 °C

Mounted LED (590 nm, 230 mW)

Optical Specifications	Value (typical)
Nominal Wavelength	590 nm
Peak Wavelength	599 nm
Bandwidth (FWHM)	15 nm
LED Output Power	300 mW
Viewing Angle (Full Angle at Half Max)	80°
Irradiance	6 $\mu\text{W}/\text{mm}^2$

General Specifications	
Emitter Size	1 mm x 1 mm
Lifetime	>100 000 h
Operating Temperature (Non-Condensing)	0 to 40 °C
Storage Temperature	-40 to 70 °C
Risk Group	RG1 - Low Risk Group
Housing Diameter	Ø30.5 mm
Mechanical Compatibility	SM1 (1.035"-40) Internal Threads
Cable Length	2 m

Note: 1 unit of LED Connector Hub must be provided to connect four individual high-brightness LEDs, such as our collimated or uncollimated mounted LEDs, to the driver. Each LED is connected by a standard M8x1 sensor circular connector.

तकनीकी अनुपालन / TECHNICAL SPECIFICATIONS

(एनआईक्यू नं. IISERBpr /NIQ/PHY/2026-27/04, दिनांक 18 मई, 2026) /
(NIQ NO. IISERBpr/NIQ/PHY/2026-27/04, dated May 18, 2026)

Specification of the item	Compliance (Yes/No)																																																																																		
<u>Mounted LED (880 nm, 300 mW)</u> <table> <tr> <th>Optical Specifications</th><th>Value (typical)</th></tr> <tr> <td>Nominal Wavelength</td><td>880 nm</td></tr> <tr> <td>Peak Wavelength</td><td>890 nm</td></tr> <tr> <td>Bandwidth (FWHM)</td><td>50 nm</td></tr> <tr> <td>LED Output Power</td><td>350 mW</td></tr> <tr> <td>Viewing Angle</td><td>132°</td></tr> <tr> <td>Maximum Irradiance</td><td>5.6 $\mu\text{W}/\text{mm}^2$</td></tr> </table> <table> <tr> <th>General Specifications</th><th>Value</th></tr> <tr> <td>Characteristic</td><td></td></tr> <tr> <td>Emitter Size</td><td>1 mm x 1 mm</td></tr> <tr> <td>Lifetime</td><td>>10 000 h</td></tr> <tr> <td>Operating Temperature</td><td>0 to 40 °C</td></tr> <tr> <td>Storage Temperature</td><td>-40 to 70 °C</td></tr> <tr> <td>Risk Group</td><td>RG0 - Exempt Group</td></tr> <tr> <td>Housing Diameter</td><td>Ø30.5 mm</td></tr> <tr> <td>Mechanical Compatibility</td><td>SM1 (1.035"-40) Internal Threads</td></tr> <tr> <td>Cable Length</td><td>2 m</td></tr> </table> <u>4-Channel LED Driver, 1 Modulation Input</u> <table> <tr> <th>Constant Current Mode</th><th></th></tr> <tr> <td>LED Current Range</td><td>0 - 1000 mA</td></tr> <tr> <td>LED Current Resolution</td><td>1 mA</td></tr> <tr> <td>LED Current Accuracy</td><td>±10 mA</td></tr> <tr> <td>LED Forward Voltage</td><td>5 V</td></tr> <tr> <th>Brightness Mode</th><th></th></tr> <tr> <td>LED Current Range</td><td>0 - 100%</td></tr> <tr> <td>LED Current Resolution</td><td>0.1 % (min. 1 mA)</td></tr> <tr> <td>LED Current Accuracy</td><td>±10 mA</td></tr> <tr> <td>LED Forward Voltage</td><td>5 V</td></tr> <tr> <th>External Control Mode</th><th></th></tr> <tr> <td>Modulation Frequency Range</td><td>0 - 100 kHz, Sine Wave</td></tr> <tr> <td>Modulation</td><td>Arbitrary</td></tr> <tr> <td>Trigger Input (Maximum)</td><td>10 V</td></tr> <tr> <td></td><td>1 V corresponds to 100 mA</td></tr> <tr> <th>General</th><th></th></tr> <tr> <td>Operating Temperature Range</td><td>0 to 40 °C</td></tr> </table> <u>Mounted LED (590 nm, 230 mW)</u> <table> <tr> <th>Optical Specifications</th><th>Value (typical)</th></tr> <tr> <td>Nominal Wavelength</td><td>590 nm</td></tr> <tr> <td>Peak Wavelength</td><td>599 nm</td></tr> <tr> <td>Bandwidth (FWHM)</td><td>15 nm</td></tr> <tr> <td>LED Output Power</td><td>300 mW</td></tr> <tr> <td>Viewing Angle (Full Angle at Half Max)</td><td>80°</td></tr> <tr> <td>Irradiance</td><td>6 $\mu\text{W}/\text{mm}^2$</td></tr> </table>	Optical Specifications	Value (typical)	Nominal Wavelength	880 nm	Peak Wavelength	890 nm	Bandwidth (FWHM)	50 nm	LED Output Power	350 mW	Viewing Angle	132°	Maximum Irradiance	5.6 $\mu\text{W}/\text{mm}^2$	General Specifications	Value	Characteristic		Emitter Size	1 mm x 1 mm	Lifetime	>10 000 h	Operating Temperature	0 to 40 °C	Storage Temperature	-40 to 70 °C	Risk Group	RG0 - Exempt Group	Housing Diameter	Ø30.5 mm	Mechanical Compatibility	SM1 (1.035"-40) Internal Threads	Cable Length	2 m	Constant Current Mode		LED Current Range	0 - 1000 mA	LED Current Resolution	1 mA	LED Current Accuracy	±10 mA	LED Forward Voltage	5 V	Brightness Mode		LED Current Range	0 - 100%	LED Current Resolution	0.1 % (min. 1 mA)	LED Current Accuracy	±10 mA	LED Forward Voltage	5 V	External Control Mode		Modulation Frequency Range	0 - 100 kHz, Sine Wave	Modulation	Arbitrary	Trigger Input (Maximum)	10 V		1 V corresponds to 100 mA	General		Operating Temperature Range	0 to 40 °C	Optical Specifications	Value (typical)	Nominal Wavelength	590 nm	Peak Wavelength	599 nm	Bandwidth (FWHM)	15 nm	LED Output Power	300 mW	Viewing Angle (Full Angle at Half Max)	80°	Irradiance	6 $\mu\text{W}/\text{mm}^2$	
Optical Specifications	Value (typical)																																																																																		
Nominal Wavelength	880 nm																																																																																		
Peak Wavelength	890 nm																																																																																		
Bandwidth (FWHM)	50 nm																																																																																		
LED Output Power	350 mW																																																																																		
Viewing Angle	132°																																																																																		
Maximum Irradiance	5.6 $\mu\text{W}/\text{mm}^2$																																																																																		
General Specifications	Value																																																																																		
Characteristic																																																																																			
Emitter Size	1 mm x 1 mm																																																																																		
Lifetime	>10 000 h																																																																																		
Operating Temperature	0 to 40 °C																																																																																		
Storage Temperature	-40 to 70 °C																																																																																		
Risk Group	RG0 - Exempt Group																																																																																		
Housing Diameter	Ø30.5 mm																																																																																		
Mechanical Compatibility	SM1 (1.035"-40) Internal Threads																																																																																		
Cable Length	2 m																																																																																		
Constant Current Mode																																																																																			
LED Current Range	0 - 1000 mA																																																																																		
LED Current Resolution	1 mA																																																																																		
LED Current Accuracy	±10 mA																																																																																		
LED Forward Voltage	5 V																																																																																		
Brightness Mode																																																																																			
LED Current Range	0 - 100%																																																																																		
LED Current Resolution	0.1 % (min. 1 mA)																																																																																		
LED Current Accuracy	±10 mA																																																																																		
LED Forward Voltage	5 V																																																																																		
External Control Mode																																																																																			
Modulation Frequency Range	0 - 100 kHz, Sine Wave																																																																																		
Modulation	Arbitrary																																																																																		
Trigger Input (Maximum)	10 V																																																																																		
	1 V corresponds to 100 mA																																																																																		
General																																																																																			
Operating Temperature Range	0 to 40 °C																																																																																		
Optical Specifications	Value (typical)																																																																																		
Nominal Wavelength	590 nm																																																																																		
Peak Wavelength	599 nm																																																																																		
Bandwidth (FWHM)	15 nm																																																																																		
LED Output Power	300 mW																																																																																		
Viewing Angle (Full Angle at Half Max)	80°																																																																																		
Irradiance	6 $\mu\text{W}/\text{mm}^2$																																																																																		

General Specifications

Emitter Size	1 mm x 1 mm
Lifetime	>100 000 h
Operating Temperature (Non-Condensing)	0 to 40 °C
Storage Temperature	-40 to 70 °C
Risk Group	RG1 - Low Risk Group
Housing Diameter	Ø30.5 mm
Mechanical Compatibility	SM1 (1.035"-40) Internal Threads
Cable Length	2 m

Note: 1 unit of LED Connector Hub must be provided to connect four individual high-brightness LEDs, such as our collimated or uncollimated mounted LEDs, to the driver. Each LED is connected by a standard M8x1 sensor circular connector.

•

फर्म का साइन और सील /
 Sign & Seal of the firm

तारीख: / Date: _____

अनुलग्नक - '3'/ Annexure- '3'

नियम एवं शर्तों के अनुपालन हेतु प्रारूप/प्रश्नावली

FORMAT/QUESTIONNAIRE FOR COMPLIANCE OF TERMS AND CONDITIONS

NOTE:

1. Quotation will not be considered without submission of this format.
2. If a particular question is not at all applicable, please write NA in compliance part in Col. No. 4 below.
3. Kindly see the relevant terms & conditions of the tender document in each question before replying to the questions mentioned in Col. 2 below).

S. No.	Terms & Condition of Tender Document	Whether acceptable (say 'Yes' or 'No' (Preferably use different colour ink for 'No'))	Deviation from tender terms, if any, with reasons for noncompliance or alternative condition quoted for
1	2	3	4
1	(a) Whether quotation is direct from Principal supplier/manufacturer or their own office in India (Please specify)		
	(b) Whether quotation is being submitted by Indian/Agent/authorised distributor/dealer		
	(c) Whether the agent is registered with NSIC/MSME		
2	Whether techno-commercial bid contains, technical literature/leaflets, detailed specifications & commercial terms & conditions etc, as applicable.		
	(a) Please specify the form of whether in the form of DD/NEFT		
	(b) Whether specific amounts or percentage of expenses like packing, forwarding, handling, freight, insurance, documentation etc. have been mentioned in quotation separately in clear terms.		
3	Whether prevailing rates of sales tax, excise duty & other govt. levies (for indigenous supplies) have been given in quotation		
4	Have you mentioned the validity period of the quotation as per our requirements		
5	Whether "a certificate mentioning that you have not supplied the same item at the price lower than the quoted price".		
	Whether copies of the last three supply orders of the same item from other customers have been attached with the quotation		
6	Whether rates/amount of AMC after the warranty period is over has been mentioned		
7	Have you gone through the specification Clause & complied with the same		
8	Whether the Make/Brand, Model number and name of manufacturer has been mentioned in the quotation and Printed technical literature/ leaflets of quoted items have been submitted		
9	Whether compliance statement of specifications has been attached with the quotation.		
10	(a) Whether the delivery period for supply of the items has been mentioned		
	(b) Whether mode of delivery & tentative size & weight of the consignment has also been indicated		

11	Do you agree with the payment terms for indigenous supplies?		No deviation permitted
12	Do you agree about the date of commencement of warranty period & its extension is necessary.		
13	Have you mentioned the guarantee/warranty period in your quotation and do you agree with guarantee clause?		
14	Whether training to our scientist/technical person will be given free of cost. If yes, have you specified in quotation whether it will be in our lab? Or at supplier's site in India or abroad.		
15	b) Whether quotation has been signed and designation & name of signatory mentioned.		
16	Whether documentary evidence of bidders as given in Eligibility Criteria submitted		
17	Country of origin of the equipment being quoted (Clearly mention the Country name)		

फर्म का साइन और सील /
 Sign & Seal of the firm

तारीख: / Date: _____

निर्माता का प्राधिकरण प्रपत्र /

MANUFACTURER'S AUTHORIZATION FORM

[The Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer]

To
The Director,
IISER Berhampur
At-Laudigam, Konisi, Dist-Ganjam, Odisha-760003

Ref. Your Tender Document No.....

Tender Title:.....

We, -----, are proven and reputable manufacturers of the Tendered Goods. We have factories at----- We hereby authorize Members ----- (name and address of the authorized dealer) to submit a bid, process the same further and enter into a contract with you against the above referred Tender Process for the supply of above Goods manufactured by us. Their registration number with us is, dated/ since.....

- 1) We further confirm that no Contractor or firm or individual other than Messrs. (name and address of the above-authorized dealer) is authorized for this purpose.
- 2) As principals, we commit ourselves to extend our full support for warranty obligations, as applicable as per the Tender Document, for the Goods and incidental Works/ Services offered for supply by the above firm against this Tender Document.
- 3) Our details are as under:
 - (a) Name of the Company:.....
 - (b) Complete Postal Address:
 - (c) Pin code/ ZIP code:
 - (d) Telephone nos. (with country/ area codes):
 - (e) Fax No.: (with country/ area codes):
 - (f) Mobile Nos.: (with country/ area codes):
 - (g) Contact persons/ Designation:
 - (h) Email IDs:
- 4) We enclose herewith, as appropriate, our----- (Bye-Laws/ Registration Certificate/ Memorandum of Association/ Partnership agreement/ Power of Attorney/ Board Resolution)

Yours faithfully,

.....

[signature with date, name, and designation]

for and on behalf of M/s.....

[name & address of the OEM and seal of company]

अनुलग्नक- '5' / Annexure- '5'

बोलीदाता सूचना प्रपत्र / BIDDER INFORMATION FORM
(कंपनी के लेटर हेड पर) / (On company letter head)

(Along with supporting documents, if any)

Bidder's Name _____

[Address and Contact Details]

Bidder's Reference No. _____ Date: _____

Tender Document No.: _____; Tender Title: Goods/ Services

Note: Bidder shall fill in this Form following the instructions indicated below. No alterations to its format shall be permitted, and no substitutions shall be accepted. Bidder shall enclose certified copies of the documentary proof/ evidence to substantiate the corresponding statement wherever necessary and applicable. Bidder's wrong or misleading information shall be treated as a violation of the Code of Integrity. Such Bids shall be liable to be rejected as nonresponsive, in addition to other punitive actions provided for such misdemeanour in the Tender Document.

*(Please tick appropriate boxes or strike out sentences/ phrases not applicable to you)***1) Bidder/ Contractor particulars:**

- (a) Name of the Company: _____
- (b) Corporate Identity No. (CIN): _____
- (c) Registration, if any, with The Procuring Entity: _____
- (d) GeM Supplier ID (if registered with GeM, it is mandatory at the time of placement of Contract)
- (e) Place of Registration/ Principal place of business/ manufacture _____
- (f) Complete Postal Address: _____
- (g) Pin code/ ZIP code: _____
- (h) Telephone nos. (with country/ area codes): _____
- (i) Mobile Nos.: (with country/ area codes): _____
- (j) Contact persons/ Designation: _____
- (k) Email IDs: _____

Company's Legal Status
(tick on appropriate option)

- 1) Limited Company
- 2) Undertaking
- 3) Joint Venture
- 4) Partnership
- 5) Others

Company Category

- 1) Micro Unit as per MSME
- 2) Small Unit as per MSME
- 3) Medium Unit as per MSME
- 4) Ancillary Unit
- 5) SSI
- 6) Others

2) Taxation Registrations:

PAN number: _____

Type of GST Registration as per the Act (Normal Taxpayer, Composition, Casual Taxable Person, SEZ, etc.): _____

GSTIN number: _____ in Consignor and Consignee States

Registered/ Certified Works/ Factory where the Goods would be mainly manufactured and Place of Consignor for GST Purpose: _____

Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts):

☐ We solemnly declare that our GST rating on the GST portal/ Govt. official website is not negative/ blacklisted.

Documents to be submitted: Self-attested Copies of PAN card and GSTIN Registration.

3) Authorization of Person(s) signing the bid on behalf of the Bidder

Full Name: _____

Designation: _____

Signing as: _____

☐ A sole proprietorship firm. The person signing the bid is the sole proprietor/ constituted attorney of the sole proprietor,

☐ A partnership firm. The person signing the bid is duly authorised being a partner to do so, under the partnership agreement or the general power of attorney,

☐ A company. The person signing the bid is the constituted attorney by a resolution passed by the Board of Directors or in pursuance of the Authority conferred by Memorandum of Association.

Documents to be submitted: Registration Certificate/ Memorandum of Association/ Partnership Agreement/ Power of Attorney/ Board Resolution

4) Bidder's Authorized Representative Information

Name:

Address:

Telephone/ Mobile numbers:

Email Address:

(Signature with date)

.....

(Name and designation)

Duly authorized to sign bid for and on behalf of

[name & address of Bidder and seal)

अनुलग्नक- '6' Annexure- '6'

क्लीन ट्रैक के बारे में घोषणा/कोई कानूनी कार्रवाई नहीं /
DECLARATION REGARDING CLEAN TRACK/NO LEGAL ACTION
(को होना प्रदान किया पर पत्र सिर का व्यवसाय - संघ) / (to be provided on letter head of the firm)

I hereby certify that the above firm namely _____ is neither blacklisted by any Central/State Government/Public Undertaking/Institute nor any criminal case registered / pending against the firm or its owner / partners anywhere in India (or) against any of its branches (or) partners abroad.

I also certify that the above information is true and correct in any every respect and in any case at a later date it is found that any details provided above are incorrect, any contract given to the above firm may be summarily terminated and the firm blacklisted.

Date:

Authorized Signatory

Name:

Place:

Designation:

Contact No.:

अनुलग्नक- '7' / Annexure- '7'

उद्धरण प्रारूप / QUOTATION FORMAT

Ref: IISER Berhampur, NIQ No. _____ Dt. _____

Name of the Firm: _____

Name of Proprietor _____

Address _____

Quotation No. _____ Dt. _____

Mob No. _____ E-Mail: _____

GSTN. _____ Registration /License No. _____

PAN No. _____

Brief description of the material to be supplied: -

Sl.	Description of item	Make & Model No.	Qty	Unit Price	GST %	Total cost with GST
I.	Mounted LED (880 nm, 300 mW)		01 Nos.			
II.	Mounted LED (590 nm, 230 mW)		01 Nos.			
III.	4-Channel LED Driver		01 Nos..			
IV.	LED Connector HUB		01 Nos.			
	Total					
	Total in words:					

(a) All above prices are F.O.R. IISER Berhampur.

(b) 100% payment shall be made against satisfactory, delivery and successful commissioning of the equipment subject to submission of original invoice and satisfactory report from the indenter.

(c) Validity of quotation _____ days (d) Delivery period _____ (days/weeks)

(e) Warranty details _____

(f) Bank Account Details: Name of A/c Holder _____

Bank Name _____ A/c No. _____

IFSC _____

Certified that I Hereby accepted all terms and conditions of NIQ under reference.

The following supporting documents must be submitted along with NIQ, namely: -

- (i) Attested copy of Certificate of Incorporation/Registration of agency.
- (ii) Attested copy of the IT return filed for the last 3 years.
- (iii) Attested copy of PAN card & GST registration certificate.
- (iv) Any other license/permission mandated by Government for appropriate business.

फर्म के साइन और सील
Sign & Seal of the firm

तारीख: / Date: _____